

# SWEET COLLECTION

COLLECTIONS



**STARPOOL**

wellness concept



Welcome to  
a new dimension  
of Wellness



# Summary

<b>Sweet Collection</b>	11
-------------------------	----

---

## **SWEET SAUNA**

<b>Introduction</b>	15
Experiencing wellness in a special environment	16
Functional design	20
Outfitting	22
Technical data	24
Layout	25

---

## **SWEET SAUNA PERSONAL PLUS**

<b>Introduction</b>	37
Experiencing wellness in a special environment	38
Functional design	42
Outfitting	44
Technical data	46
Layout	47

---

## SWEET STEAM ROOM

<b>Introduction</b>	51
Experiencing wellness in a special environment	52
Functional design	56
Outfitting	58
Technical data	60
Layout	61

## SWEET STEAM ROOM PERSONAL PLUS

<b>Introduction</b>	73
Experiencing wellness in a special environment	74
Functional design	78
Outfitting	80
Technical data	82
Layout	83

## SWEET MEDITERRANEAN BATH

<b>Introduction</b>	87
Experiencing wellness in a special environment	88
Functional design	92
Outfitting	94
Technical data	96
Layout	98

## SWEET ICE ROOM


<b>Introduction</b>	107
Experiencing wellness in a special environment	108
Functional design	112
Outfitting	114
Technical data	116
Layout	117


## SWEET SHOWER

<b>Introduction</b>	121
Experiencing wellness in a special environment	122
Functional design	126
Outfitting	128
Technical data	130
Layout	131

## THE SUSTAINABLE SPA

<b>Smart Technology</b>	136
-------------------------	-----





Sweet Collection is purity of form, functionality and beauty. Simple lines, transparency and play of light envelop moments of relaxation, creating a bright and welcoming atmosphere. Products with a unique style that reflect a deep passion for the Wellness culture.

Cristiano Mino





# *Sweet Collection*

## *Uniqueness, function and style*

Sweet Collection embodies the perfect blend of **minimalist design** and **aesthetic functionality**.

This collection is designed to transform showers, saunas and steam rooms into sophisticated pieces of furniture that blend seamlessly into any setting.

Thanks to **their versatility**, these products are ideal for creating spaces that meet every need in terms of space to create **professional solutions for home and business environments**.





ETAPPOOL

# *Sweet Sauna*

The essence of Wellness



Discover more about Sweet Sauna

SWEET SAUNA

# Sweet Sauna

ENVELOPING HEAT

Sweet Sauna is the perfect union between cutting-edge technology, incomparable design, atmosphere, and premium quality materials.

Its **one-of-a-kind** style is its hallmark.

These wellness areas **blend seamlessly into any setting**, creating spaces that perfectly meet space requirements whilst retaining their many technical qualities.

Sweet Sauna is designed to give people exciting wellness experiences in both home and business environments.

## *Experiencing Wellness in a special environment*

The essential design combined with meticulous attention to detail, enveloping fragrances and pleasant surface textures make the sauna experience more intense and immersive.




### BENEFITS

Sweet Sauna provides the intense heat and atmosphere of a Finnish sauna, with temperatures of 80–90°C and humidity of 10–20%, ideal for relaxing, relieve the muscles and conditioning the cardiovascular system. It is also available in a Soft Sauna version, with moderate heat for a gentle and immersive wellness experience.

### RITUALS

The internal stove can be used for the Aufguss ritual, further enhancing the beneficial effects of the heat. For a self-care ritual, essential oil and water sprays can also become an integral part of the wellness experience, promoting an immediate sense of freshness and regeneration.

## SWEET SAUNA




### LIGHTING

Light sources built both into the back of the benches and the stove protection cast a soft, diffused light, transforming any space into a sensory experience.




### COMBI OPTION


The “Combi” option includes and combines, in one environment, the traditional stove typical of the Finnish sauna and the infra-red lamps, which warm up the body through the ergonomic seat.



1- The light bars built into the back of the bench cast a soft, diffused light.



2- Stove with Sweet Sauna's pressure safety system.



3- Floating bench in oak with LED lighting.





4- Sweet Sauna in natural oak.

# Functional design

Z

## 1. DOOR

Comfort, functionality and accessibility thanks to the door, increased in width to 90 cm (87 cm in the Vision version).

## 2. LIGHTING

Multicoloured RGB LED light bars with warm white light, installed at the back of the bench and the stove, cast a soft glow that enhances the atmosphere with dynamic, customisable effects. The changing colours create visual effects that highlight the sauna's design and intensify the sensory experience, blending harmoniously with every need and setting.

## 3 NATURAL AIR EXTRACTION

The low-positioned non-forced extraction system ensures constant natural air circulation and keeps the air clean.

## 4. FLOATING BENCH

The floating bench makes cleaning easier.

## 5. SAFETY AND CONTROL

Behind the stove's structure, there is a wall in either marble, back-painted glass or satin glass, which ensures full heat protection. In addition, the pressure safety system ensures immediate power cut-off whenever necessary.

## 6. SLIDING TECHNICAL COMPARTMENT

The unit containing the technical compartment, which can be installed up to a maximum size of 225 x 195 cm, allows routine maintenance to be carried out with simple steps, which can be performed entirely independently. The technical compartment can be remote and installed up to a maximum distance of 10 m from the cabin.

## 7. ALARM BUTTON

The alarm button stops all cabin functions and cuts off the power supply, sending an alarm signal to the control unit.



## FUNCTIONALITY

Installation is quick and safe, and the product can be disassembled and reassembled elsewhere at any time.

## BE GREEN

Sweet Sauna comes fitted factory-standard with the GREEN PACK software **to reduce energy consumption**. It **regulates power output** once the set temperature is reached and **automatically closes the door**. Furthermore, **smart sensors** interrupt steam or heat production in the event of prolonged door opening, while simultaneously sending an alert signal to the product's control unit.

SWEET SAUNA




SWEET SAUNA

# *Outfitting*



SWEET SAUNA

BENCHES AND CEILING:



**Thermowood oak**  
Heat-treated, durable and humidity-resistant oak

WALLS:




**Milano**  
Brushed-effect natural oak and Thermowood oak

WALLS AND BENCHES:



**Milano Savu Black**  
Black-waxed oak

WALL CLADDING BEHIND THE STOVE (CHOOSE FROM):



**Crystal Black**  
Black back-painted glass



**Crystal White**  
White back-painted glass



**Crystal Moka**  
Moka back-painted glass




**Crystal Grey Basalt**  
Grey basalt back-painted glass




**Crystal Greige**  
Greige back-painted glass



**Crystal Grey Stone**  
Grey stone back-painted glass




**Luxury Eramosa**  
Eramosa marble



**Luxury Emperador Dark**  
Emperador Dark marble



**Luxury Eastern Grey**  
Eastern Grey marble




**Luxury Laurent Gold**  
Laurent Gold marble



**Luxury Velvet**  
Velvet marble



















**Luxury Calacatta**  
Calacatta marble



**Crystal Black Satin \***  
Black satin glass

# Technical data

	SWEET SAUNA	SWEET SAUNA VISION
External dimensions with integrated sliding technical room (cm)	175 w x 150 d x 233 h  x2 - 220 w x 105 d x 233 h  x2 220 w x 150 d x 233 h  x3 - 220 w x 195 d x 233 h  x4 250 w x 195 d x 233 h  x5	
Minimum overall dimensions for installation with integrated sliding technical room (cm)	185 w x 155 d x 240 h - 230 w x 110 d x 240 h 230 w x 155 d x 240 h - 230 w x 200 d x 260 h 260 w x 200 d x 260 h	
External dimensions with remote technical room (cm)	150 w x 150 d x 233 h  x2 - 195 w x 105 d x 233 h  x2 195 w x 150 d x 233 h  x3 - 195 w x 195 d x 233 h  x4 - 225 w x 150 d x 233 h  x4 225 w x 195 d x 233 h  x5 - 285 w x 195 d x 233 h  x6 285 w x 285 d x 233 h  x8 - 375 w x 285 d x 233 h LAY_A-B-C  x10 375 w x 285 d x 255 h LAY_C1-A1-B1  x10 - 375 w x 375 d x 255 h  x12	
Minimum overall dimensions for installation with remote technical room (cm)	160 w x 155 d x 240 h - 205 w x 110 d x 240 h 205 w x 155 d x 240 h - 205 w x 200 d x 260 h 235 w x 200 d x 260 h - 295 w x 200 d x 260 h 295 w x 290 d x 260 h - 385 w x 290 d x 260 h LAY_A-B-C 385 w x 290 d x 275 h LAY_C1-A1-B1 - 385 w x 380 d x 275 h	
Voltage	230 Vac 1P+N+PE / 400 Vac 3P+N+PE	
Max consumption (kW)	Finnish sauna 5 – 24,5 Combi option: 5.5 – 13.5 +0.4 per seat Soft Sauna 5.8 – 15.5 ("Combi" option is not available in the Soft version)	
Technology	Finnish sauna / Soft Sauna / Infrared therapy	
Temperature	Finnish Sauna 90 - 100 °C / Combi 35 - 40 °C / Soft Sauna 50 - 60 °C	
Relative humidity	Finnish Sauna 10 - 20% / Combi 10 - 20% / Soft Sauna 40 - 60%	
Heating	Electric stove (with manual water filling in the Soft Sauna version) Combi option: electric sauna + infrared lamps (type-C and type-B infrared radiation; average wavelength 3100 nm)	
Lighting	RGB LED light bars installed behind the benches	
Music kit	Integrated music kit with preloaded spa music selection by Starpool MP3: 24 V DC power supply, 8 Ohm impedance, 20 W + 20 W output power across two channels, supported file formats: .mp3, .wma, USB 2.0 Loudspeaker: 30 W power, 4 Ohm impedance	
Frame, door and handle	<ul style="list-style-type: none"> <li>· Frame: front frame in the same type of wood as the interior cladding for the Vision version / in AISI 316L stainless steel for the non-Vision version</li> <li>· Door (tempered glass; thickness: 10 mm; width: 87 cm): in clear glass</li> <li>· Handle (height: 98 cm; squared cross-section: 30x30 mm): in AISI 316L stainless steel and wood matching the walls</li> <li>· Maximum width of the Vision front wall: 2850 mm</li> </ul>	
Main structure	Self-supporting wooden structure for on-site installation (minimum thickness: 8.1 cm; U=0.49 W/m2K) Electrical and plumbing systems on top of the cabin – included in the total height Flooring not supplied; to be installed in accordance with the design	
Technical compartment	Options: a panel to be installed remotely in a separate area from the cabin or, alternatively, a sliding unit (25 cm) to be positioned to the right or left of the cabin	

# SWEET SAUNA

## Functions

ON / OFF	From the technical compartment
Lighting	From the technical compartment
Audio + Music	From the technical compartment
Alarm	From the button inside the cabin

## Layout




### Layout A

plan




side view

front view

195 w x 105 d x 233 h cm



255 w x 150 d x 233 h cm



SWEET SAUNA




Layout A

plan




side view

front view




225 w x 195 d x 233 h cm





285 w x 195 d x 233 h cm



285 w x 285 d x 233 h cm



375 w x 285 d x 233 h cm






SWEET SAUNA

plan

side view

front view

375 w x 375 d x 255 h cm



---




Layout A1

plan

side view

front view

375 w x 285 d x 255 h cm



SWEET SAUNA




Layout B

plan




side view

front view




150 w x 150 d x 233 h cm






195 w x 150 d x 233 h cm



195 w x 195 d x 233 h cm



225 w x 195 d x 233 h cm






SWEET SAUNA

plan




side view

front view




285 w x 195 d x 233 h cm






285 w x 285 d x 233 h cm



375 w x 285 d x 233 h cm



375 w x 375 d x 255 h cm






Layout B1

plan




side view

front view

285 w x 195 d x 233 h cm



375 w x 285 d x 255 h cm



SWEET SAUNA




Layout C

plan




side view

front view




150 w x 150 d x 233 h cm






195 w x 150 d x 233 h cm



195 w x 195 d x 233 h cm



225 w x 195 d x 233 h cm



SWEET SAUNA




Layout C

plan




side view

front view




285 w x 195 d x 233 h cm






285 w x 285 d x 233 h cm



375 w x 285 d x 255 h cm



375 w x 375 d x 255 h cm



SWEET SAUNA




Layout C1

plan



side view

front view

285 w x 195 d x 233 h cm



375 w x 285 d x 255 h cm





*Sweet Sauna  
Personal Plus*

Heat fills the space





Discover more about Sweet Sauna Personal Plus

# Sweet Sauna Personal Plus

MAXIMUM RELAXATION, MINIMAL SPACE


Sweet Sauna Personal Plus embodies the perfect balance between the **solidity of oak and the transparency of glass**, coming together in a seamless spatial continuity where light filters in from outside, harmoniously illuminating the interior.

**Essential lines**, attention to detail and natural-inspired materials that are pleasant to the touch make the sauna experience even more intense.

Thanks to its **compact size**, it fits perfectly even into the smallest of spaces, without compromising on comfort, functionality or quality.

## *Experiencing Wellness in a special environment*

Materials that feel pleasant to the touch, captivating fragrances and vibrant colours: every detail has been designed to create a space where you can enjoy an intimate and authentic wellness experience.



### BENEFITS

Sweet Sauna Personal Plus provides the intense heat and atmosphere of a Finnish sauna, with temperatures of 80–90°C and humidity of 10–20%, ideal for relaxing, relieve the muscles and conditioning the cardiovascular system. It is also available in a Soft Sauna version, with moderate heat for a gentle and immersive wellness experience.


### RITUALS

The internal stove can be used for the Aufguss ritual, further enhancing the beneficial effects of the heat. For a self-care ritual, essential oil and water sprays can also become an integral part of the wellness experience, promoting an immediate sense of freshness and regeneration.



### TOUCH-SCREEN DISPLAY

An intuitive touch-screen panel allows you to quickly and easily control all the functions of Sweet Sauna Personal Plus, making the experience even smarter and more comfortable.



### COLOURS AND MUSIC

Coloured lights create a multi-sensory sauna experience, enabling you to choose your favourite shades or let them fade in and out. A music kit is available, featuring a loudspeaker with a selection of the finest spa symphonies curated by Starpool.





4-Sweet Sauna Personal Plus in natural oak.

## Functional design

The design by Starpool strikes the **right balance between beauty and practicality**. As a result, the space stands out not only for its aesthetic appeal but also for its ability **to meet specific spatial and sustainability requirements**.

### 1. DOOR

Comfort, functionality and accessibility thanks to the door, increased in width to 131 cm (87 cm in the Vision version).

### 2. LIGHTING

Multicoloured LED light bars, installed at the back of the bench and the stove, cast a soft glow that enhances the atmosphere with dynamic, customisable effects. The changing colours create visual effects that highlight the sauna's design and intensify the sensory experience, blending harmoniously with every need and setting.

### 3 NATURAL AIR EXTRACTION

The low-positioned non-forced extraction system ensures constant natural air circulation and keeps the air clean.

### 4. FLOATING BENCH

The floating bench makes cleaning easier.

### 5. SAFETY AND CONTROL

The stove is separated from the structure by a wall in either marble, back-painted glass or satin glass, which ensures full heat protection. In addition, the pressure safety system ensures immediate power cut-off whenever necessary.

### 6. SLIDING TECHNICAL COMPARTMENT

The sliding unit containing the technical compartment, which can be installed up to a maximum size of 195 x 195 cm, allows routine maintenance to be carried out with simple steps, which can be performed entirely independently. The technical compartment can be remote and installed up to a maximum distance of 10 m from the cabin.

### 7. ALARM BUTTON

The alarm button stops all cabin functions and cuts off the power supply, sending an alarm signal to the control unit.

### FUNCTIONALITY

Installation is quick and safe, and the product can be disassembled and reassembled elsewhere at any time.

### BE GREEN

Sweet Sauna Personal Plus comes fitted factory-standard with the GREEN PACK software **to reduce energy consumption**.

It **regulates power output** once the set temperature is reached and **automatically closes the door**.

Furthermore, **smart sensors** interrupt steam or heat production in the event of prolonged door opening, while simultaneously sending an alert signal to the product's control unit.

SWEET SAUNA PERSONAL PLUS




## *Outfitting*



SWEET SAUNA PERSONAL PLUS

BENCHES AND CEILING:




**Thermowood Oak**  
Heat-treated, durable and humidity-resistant oak

WALLS:



**Milano**  
Brushed-effect natural oak and Thermowood oak

WALLS AND BENCHES:



**Milano Savu Black**  
Black-waxed oak

WALL CLADDING BEHIND THE STOVE (CHOOSE FROM):



**Crystal Black**  
Black back-painted glass



**Crystal White**  
White back-painted glass



**Crystal Moka**  
Moka back-painted glass




**Crystal Grey Basalt**  
Grey basalt back-painted glass




**Crystal Greige**  
Greige back-painted glass



**Crystal Grey Stone**  
Grey stone back-painted glass




**Luxury Eramosa**  
Eramosa marble



**Luxury Emperador Dark**  
Emperador Dark marble



**Luxury Eastern Grey**  
Eastern Grey marble




**Luxury Laurent Gold**  
Laurent Gold marble



**Luxury Velvet**  
Velvet marble




**Luxury Calacatta**  
Calacatta marble



**Crystal Black Satin \***  
Black satin glass

BASE



**Thermowood Oak**  
Heat-treated oak











**Milano Savu Black \*\***  
Black-waxed oak

\* Available only for Milano Savu Black

\*\* Available only for layouts with a polished steel front frame (no vision)

# Technical data

	SWEET SAUNA PERSONAL PLUS	SWEET SAUNA PERSONAL PLUS VISION
External dimensions with integrated sliding technical room (cm)	205 w x 150 d x 231 h  x2 275 w x 150 d x 231 h  x3	175 w x 150 d x 233 h  x2 220 w x 150 d x 233 h  x2
Minimum overall dimensions for installation with integrated sliding technical room (cm)	215 w x 155 d x 240 h 285 w x 155 d x 240 h	185 w x 155 d x 240 h 230 w x 155 d x 240 h
External dimensions with remote technical room (cm)	180 w x 150 d x 231 h  x2 250 w x 150 d x 231 h  x3	150 w x 150 d x 233 h  x2 195 w x 150 d x 233 h  x2
Minimum overall dimensions for installation with remote technical room (cm)	190 w x 155 d x 240 h 260 w x 155 d x 240 h	160 w x 155 d x 240 h 205 w x 155 d x 240 h
Voltage	230 Vac 1P+N+PE / 400 Vac 3P+N+PE	
Max consumption (kW)	5 - 8	
Technology	Finnish sauna	
Temperature	90 - 100 °C	
Relative humidity	10 - 20%	
Heating	Electric stove	
Fragrances	To be diluted in the sauna bucket	
Lighting	RGB LED light bar installed behind the bench	
Music kit	Integrated music kit with preloaded spa music selection by Starpool MP3: 24 V DC power supply, 8 Ohm impedance, 20 W + 20 W output power across two channels, supported file formats: .mp3, .wma, USB 2.0 Loudspeaker: 30 W power, 4 Ohm impedance	
Frame, door and handle	<ul style="list-style-type: none"> <li>• Front frame: in polished steel with hinged door</li> <li>• Door (tempered glass; thickness: 10 mm; width: 87 cm): in clear glass</li> </ul>	<ul style="list-style-type: none"> <li>• Front frame: same type of wood as the internal cladding</li> <li>• Door (tempered glass; thickness: 10 mm; width: 131 cm): in clear glass</li> </ul>
	<ul style="list-style-type: none"> <li>• Handle (height: 98 cm; squared cross-section: 30x30 mm): in AISI 316L stainless steel and wood matching the walls</li> </ul>	
Main structure	Self-supporting wooden structure for on-site installation (minimum thickness: 8.1 cm; U=0.49 W/m <sup>2</sup> K) Electrical and plumbing systems on top of the cabin – included in the given height Flooring not supplied; to be installed in accordance with the design	

## Functions

ON / OFF	From the panel inside the cabin
Lighting	From the panel inside the cabin
Colours	From the panel inside the cabin
Audio + Music	From the panel inside the cabin
Alarm	From the panel inside the cabin
spa_system® pro programs	From the button inside the cabin

# Layout




## Layout B

plan




side view

front view

180 w x 150 d x 231 h cm



250 w x 150 d x 231 h cm



---




## Layout C

plan




side view

front view

180 w x 150 d x 231 h cm



250 w x 150 d x 231 h cm





A modern steam room with blue lighting and a decorative pattern overlay. The room features a long, low bench with a glowing blue light strip along its top edge. The walls are made of large, light-colored panels, and the floor is made of dark wood. A decorative pattern of concentric circles and diamonds is overlaid on the image.

# *Sweet Steam Room*

The lightness of heat and the power of steam



Discover more about Sweet Steam Room

# Sweet Steam Room

EMBRACED BY STEAM

Sweet Steam Room represents the point of intersection between **tradition and innovation**, creativity and design.

The merging of these features gives rise to **steam baths with a striking aesthetic appeal**. The shapes, cladding and cutting-edge technology ensure high standards of hygiene and performance.

The release of **sensory scents** within the cabin, combined with evocative colour plays, transforms every moment into a unique wellness experience.

## *Experiencing Wellness in a special environment*

A modular product, with its own interior lining, designed to offer unique moments of rejuvenation and relaxation thanks to advanced technology and performance.



### BENEFITS

Steam and fragrances blend and gently settle on the skin, facilitating its natural exfoliation and promoting the elimination of impurities. The 45 °C room temperature and 98% humidity help to strengthen the upper respiratory tract's defences.

### FRAGRANCE

Eucalyptus essence, blended with the steam, permeates the space, giving it a distinct character. A fragrance which, together with the immersive play of light, enhances the benefits of the experience.

## SWEET STEAM ROOM



### SINGLE-PIECE WALLS AND MONOLITHIC BENCHES

Sweet Steam Room features single-piece walls and monolithic benches with an essential, minimalist design.


The seamless surfaces combine aesthetics with functionality, ensuring maximum hygiene and quick and easy cleaning.

### COLOURS AND MUSIC

The six shades of coloured lighting, whether set or alternating, spread through the steam, reflecting off the walls and creating captivating colour effects. To complete the experience, there is a music kit with the finest spa symphonies selected by us at Starpool, and an MP3 audio player with USB technology. Bluetooth is available as an extra.



1- The headrest makes the experience even more comfortable.



2- Floating bench in white Solid Surface and steam inlet system.



3- Steam inlet unit with patented Air Steam System.





4-Sweet Steam Room with white back-painted glass walls and a bench in white Solid Surface.

## *Functional design*

The design by Starpool strikes the **right balance between beauty and practicality**. As a result, the space stands out not only for its aesthetic appeal but also for its ability **to meet specific spatial and sustainability requirements**.

### **1. DOOR**

Comfort, functionality and accessibility thanks to the wider door (87 cm wide).

### **2. LIGHTING**

Multicoloured LED light bars, installed at the back of the bench and the stove, cast a soft glow that enhances the atmosphere with dynamic, customisable effects. The changing colours create visual effects that highlight the steam bath's design and intensify the sensory experience, blending harmoniously with every need and setting.

### **3. ZERO GROUTING**

With a grout surface of less than 1% of the porcelain gres, marble or satin glass coating, Sweet Steam Room is the product that offers the best guarantee for hygiene.

### **4. BENCH**

The floating bench, detached from the wall, means easy cleaning and no water build-up. The solid surface of the bench is anti-bacterial and easy to sanitise.

### **5. HAND SHOWER**

The hand shower, built into the steam bath, dispenses cold water only for an immediate refreshing effect. Made from humidity-resistant materials, it ensures comfort and functionality in complete safety.

### **6. SLIDING TECHNICAL COMPARTMENT**

The sliding unit containing the technical compartment, which can be installed up to a maximum size of 195 x 195 cm, allows routine

maintenance to be carried out with simple steps, which can be performed entirely independently. The technical compartment can be remote and installed up to a maximum distance of 10 m from the steam bath.

### **7. ALARM BUTTON**

The alarm button stops all cabin functions and cuts off the power supply, sending an alarm signal to the control unit.

### **8. FRAME**

The front panel is set within an elegant 3-cm-thick frame in AISI 316L stainless steel, with Solid Surface in the Vision version.

---

### **FUNCTIONALITY**

Installation is quick and safe, and the product can be disassembled and reassembled elsewhere at any time.

### **BE GREEN**

Sweet Steam Room comes fitted factory-standard with the GREEN PACK software **to reduce energy consumption**. It **regulates power output** once the set temperature is reached and **automatically closes the door**.

Furthermore, **smart sensors** interrupt steam or heat production in the event of prolonged door opening, while simultaneously sending an alert signal to the product's control unit.

SWEET STEAM ROOM



SWEET STEAM ROOM

# *Outfitting*



SWEET STEAM ROOM

WALL (CHOOSE FROM):



**Crystal Black**  
Black back-painted  
glass



**Crystal White**  
White back-painted  
glass




**Crystal Moka**  
Moka back-painted  
glass



**Crystal Grey Basalt**  
Grey basalt back-  
painted glass




**Crystal Greige**  
Greige back-painted  
glass



**Crystal Grey Stone**  
Grey stone back-  
painted glass




**Luxury Eramosa**  
Eramosa marble



**Luxury Emperador  
Dark**  
Emperador Dark  
marble



**Luxury Eastern Grey**  
Eastern Grey marble



**Luxury Laurent Gold**  
Laurent Gold marble




**Luxury Velvet**  
Velvet marble

---

BENCH (CHOOSE FROM):
























**Solid Surface**  
Black



**Solid Surface**  
White

## SWEET STEAM ROOM

# Technical data

	SWEET STEAM ROOM	SWEET STEAM ROOM VISION
External dimensions with integrated sliding technical room (cm)	130 w x 195 d x 233 h  x1 220 w x 105 d x 233 h  x2 - 220 w x 150 d x 233 h  x3 220 w x 195 d x 233 h  x4	175 w x 150 d x 233 h  x2 220 w x 150 d x 233 h  x3 220 w x 195 d x 233 h  x4
Minimum overall dimensions for installation with integrated sliding technical room (cm)	140 w x 200 d x 240 h - 185 w x 155 d x 240 h 230 w x 110 d x 240 h - 230 w x 155 d x 240 h 230 w x 200 d x 260 h	140 w x 200 d x 240 h - 185 w x 155 d x 240 h 230 w x 110 d x 240 h - 230 w x 155 d x 240 h 230 w x 200 d x 260 h
External dimensions with remote technical room (cm)	105 w x 195 d x 233 h  x2 - 150 w x 150 d x 233 h  x2 195 w x 105 d x 233 h  x2 - 195 w x 150 d x 233 h  x3 195 w x 195 d x 233 h  x4 - 285 w x 195 d x 233 h  x6 285 w x 285 d x 233 h  x8 - 375 w x 285 d x 233 h  x10 375 w x 375 d x 233 h  x12	150 w x 150 d x 233 h  x2 195 w x 150 d x 233 h  x3 195 w x 195 d x 233 h  x6 285 w x 285 d x 233 h  x10 375 w x 375 d x 233 h  x12
Minimum overall dimensions for installation with remote technical room (cm)	115 w x 200 d x 240 h - 160 w x 155 d x 240 h 205 w x 110 d x 240 h - 205 w x 155 d x 240 h 205 w x 200 d x 260 h - 295 w x 200 d x 260 h 295 w x 290 d x 260 h - 385 w x 290 d x 260 h 385 w x 380 d x 260 h	115 w x 200 d x 240 h - 160 w x 155 d x 240 h 205 w x 110 d x 240 h - 205 w x 155 d x 240 h 205 w x 200 d x 260 h - 295 w x 200 d x 260 h 295 w x 290 d x 260 h - 385 w x 290 d x 260 h 385 w x 380 d x 260 h
Voltage	230 Vac 1P+N+PE / 400 Vac 3P+N+PE	
Max consumption (kW)	5 - 19	
Technology	Steam bath	
Temperature	43 - 45°C	
Relative humidity	98%	
Heating	Direct steam inlet	
Lighting	RGB LED light bars installed on the ceiling and behind the benches	
Music kit	Integrated music kit with preloaded spa music selection by Starpool MP3: 24 V DC power supply, 8 Ohm impedance, 20 W + 20 W output power across two channels, supported file formats: .mp3, .wma, USB 2.0 Loudspeaker: 30 W power, 4 Ohm impedance	
Frame, door and handle	<ul style="list-style-type: none"> <li>· Frame: 3-cm Solid Surface front frame for the Vision model; AISI 316L stainless steel door frame for the non-Vision model</li> <li>· Door (tempered glass; thickness: 10 mm; width: 87 cm): in clear glass</li> <li>· Handle (height: 98 cm; squared cross-section: 30x30 mm); AISI 316L steel / steel</li> </ul> The maximum width for the Vision front wall is 285 cm	
Main structure	Self-supporting aluminium structure for on-site installation (minimum thickness: 8.1 cm, U=0.49 W/m2K) Electrical and plumbing systems on top of the cabin – included in the given height Flooring not supplied; to be installed in accordance with the design	

## Functions

ON / OFF	From technical compartment / Sliding technical compartment
Lighting	From technical compartment / Sliding technical compartment
Audio + Music	From technical compartment / Sliding technical compartment
Alarm	From internal control button in the steam room

# Layout




## Layout A

plan




side view

front view




105 w x 105 d x 233 h cm






285 w x 195 d x 233 h cm



285 w x 285 d x 233 h cm



375 w x 285 d x 233 h cm



SWEET STEAM ROOM




Layout A

plan

side view

front view

375 w x 375 d x 233 h cm






Layout A1

plan




side view

front view

105 w x 195 d x 233 h cm



285 w x 375 d x 233 h cm



SWEET STEAM ROOM




Layout B

plan




side view

front view




150 w x 150 d x 233 h cm






195 w x 105 d x 233 h cm



195 w x 150 d x 233 h cm



195 w x 195 d x 233 h cm



SWEET STEAM ROOM




Layout B

plan




side view

front view

285 w x 195 d x 233 h cm



375 w x 285 d x 255 h cm



SWEET STEAM ROOM

---




Layout B1

plan




side view

front view

195 w x 285 d x 233 h cm



285w x 375 d x 233 h cm



SWEET STEAM ROOM




Layout C

plan




side view

front view




150 w x 150 d x 233 h cm






195 w x 105 d x 233 h cm



195 w x 150 d x 233 h cm



195 w x 195 d x 233 h cm






SWEET STEAM ROOM

plan




side view

front view

285 w x 195 d x 233 h cm



375 w x 285 d x 255 h cm



SWEET STEAM ROOM

---




Layout C1

plan




side view

front view


195 w x 285 d x 233 h cm



285w x 375 d x 233 h cm



SWEET STEAM ROOM





# *Sweet Steam Room Personal Plus*

The lightness of heat and the power of steam





Discover more about Sweet Steam Room Personal Plus

# Sweet Steam Room Personal Plus

## SMALL WELLNESS OASES

Sweet Steam Room Personal Plus redefines the concept of well-being by offering a **customised**, exciting and interactive **experience**.

A perfect blend of **advanced technology, exclusive design** and carefully selected materials, it is the ideal choice if you want to bring a genuine spa experience into homes and hotel rooms.

Sweet Steam Room Personal Plus takes Wellness to a new dimension of **multifunctionality** and **maximum customisation**. Every space, no matter how small, can thus become a place for daily self-care and an oasis to retreat to for complete relaxation at any time.

## *Experiencing Wellness in a special environment*

A product in which every detail is designed to adapt to individual needs and transform every moment dedicated to well-being into a unique and deeply personal ritual.



### BENEFITS

Steam and fragrances blend and gently settle on the skin, facilitating its natural exfoliation and promoting the elimination of impurities. The 45°C room temperature and 98% humidity help to strengthen the upper respiratory tract's defences.

### SHOWER AND SENSORY SHOWERS

Warm water, play of colours and fragrances transform the shower into an enveloping bath of colour and music. A multi-sensory experience combining the delicacy of Breeze, the freshness of mint and the amber-hued summer rain mixed with passion fruit.



### TOUCH-SCREEN DISPLAY


An intuitive touch-screen panel allows you to quickly and easily select all the functions of Sweet Steam Room Personal Plus, making the experience even smarter and more comfortable. The display can be operated directly from inside the cabin, allowing users to manage their own self-treatment routine autonomously, practically and straightforwardly.

### COLOURS AND MUSIC


The coloured lights, whether set or alternating, create a range of soothing colour tones with a beneficial effect. To complete the experience, there is also a music kit featuring four pre-set sounds from Steam Room Personal Plus, plus an MP3 player with USB and Bluetooth connectivity to listen to your favourite music.



1- Door increased in width for comfort and maximum accessibility.



2- Sweet Steam Personal Plus interior with walls in white back-painted glass.



3- Floating bench in white Solid Surface.





4-Sweet Steam Personal Plus in white back-painted glass and sliding technical compartment.

## Functional design

The design by Starpool strikes the right balance between beauty and practicality. As a result, the space stands out not only for its aesthetic appeal but also for its ability to meet specific spatial and sustainability requirements.

### 1. DOOR

Comfort, functionality and accessibility thanks to the door, increased in width to 87 cm.

### 2. LIGHTING

Multicoloured LED light bars, installed at the back of the bench and the stove, cast a soft glow that enhances the atmosphere with dynamic, customisable effects. The changing colours create visual effects that highlight the steam bath's design and intensify the sensory experience, blending harmoniously with every need and setting.

### 3. ZERO GROUTING

With a grout surface of less than 1% of the porcelain gres, marble or satin glass coating, Sweet Steam Room Personal Plus is the product that offers the best guarantee for hygiene.

### 4. BENCH

The floating bench, detached from the wall, means easy cleaning and no water build-up. The solid surface of the bench is anti-bacterial and easy to sanitise.

### 5. SHOWER / HAND SHOWER / SENSORY SHOWERS

All-in-one solution featuring a temperature control mixer and a flow diverter to control the wall-mounted hand shower, the showerhead and the sensory showers.

### 6. SLIDING TECHNICAL COMPARTMENT

The sliding unit containing the technical compartment, which can be installed up to a maximum size of 195 x 195 cm, allows routine maintenance to be carried out with

simple steps, which can be performed entirely independently.

The technical compartment can be remote and installed up to a maximum distance of 10 m from the steam bath.

### 7. ALARM BUTTON

The alarm button stops all cabin functions and cuts off the power supply, sending an alarm signal to the control unit.

### 8. FRAME

The front panel is set within an elegant 3-cm-thick frame in polished steel, and with Solid Surface in the Vision version.

---

### FUNCTIONALITY

Installation is quick and safe, and the product can be disassembled and reassembled elsewhere at any time.

### BE GREEN

Sweet Steam Room Personal Plus comes fitted factory-standard with the GREEN PACK software **to reduce energy consumption**. It **regulates power output** once the set temperature is reached and **automatically closes the door**. Furthermore, **smart sensors** interrupt steam or heat production in the event of prolonged door opening, while simultaneously sending an alert signal to the product's control unit.

SWEET STEAM ROOM PERSONAL PLUS



## *Outfitting*



SWEET STEAM ROOM PERSONAL PLUS

WALL (CHOOSE FROM):



**Crystal Black**  
Black back-painted  
glass



**Crystal White**  
White back-painted  
glass




**Crystal Moka**  
Moka back-painted  
glass



**Crystal Grey Basalt**  
Grey basalt  
back-painted glass




**Crystal Greige**  
Greige back-painted  
glass



**Crystal Grey Stone**  
Grey stone back-  
painted glass




**Luxury Eramosa**  
Eramosa marble



**Luxury Emperador  
Dark**  
Emperador Dark  
marble



**Luxury Eastern Grey**  
Eastern Grey marble



**Luxury Laurent Gold**  
Laurent Gold marble



**Luxury Velvet**  
Velvet marble




**Luxury Calacatta**  
Calacatta marble

---

BENCH (CHOOSE FROM):











**Solid Surface**  
Black



**Solid Surface**  
White

# Technical data

	SWEET STEAM ROOM PERSONAL PLUS	SWEET STEAM ROOM PERSONAL PLUS VISION
External dimensions with integrated sliding technical room (cm)	175 w x 150 d x 231 h  x2 275 w x 150 d x 231 h  x4	175 w x 150 d x 233 h  x2 220 w x 150 d x 233 h  x2
Minimum overall dimensions for installation with integrated sliding technical room (cm)	185 w x 160 d x 240 h 285 w x 160 d x 240 h	185 w x 155 d x 240 h 230 w x 155 d x 240 h
External dimensions with remote technical room (cm)	150 w x 150 d x 231 h  x2 250 w x 150 d x 231 h  x2	150 w x 150 d x 233 h  x2 195 w x 150 d x 233 h  x2
Minimum overall dimensions for installation with remote technical room (cm)	160 w x 160 d x 240 h 260 w x 160 d x 240 h	160 w x 155 d x 240 h 205 w x 155 d x 240 h
Voltage	230 Vac 1P+N+PE / 400 Vac 3P+N+PE	
Max consumption (kW)	3,5 – 6,5	
Technology	Steam bath	
Temperature	43 - 45°C	
Relative humidity	98%	
Heating	Direct steam inlet	
Lighting	RGB LED light bars	
Music kit	<p>Integrated music kit with preloaded spa music selection by Starpool</p> <p>MP3: 24 V DC power supply, 8 Ohm impedance, 20 W + 20 W output power across two channels, supported file formats: .mp3, .wma, USB 2.0</p> <p>Loudspeaker: 30 W power, 4 Ohm impedance</p>	
Frame, door and handle	<ul style="list-style-type: none"> <li>• Front frame: in polished steel with hinged door (when not Vision)</li> <li>• Door: in tempered glass (thickness:10 mm; width: 87 cm), in clear glass</li> </ul>	<ul style="list-style-type: none"> <li>• Front frame (Vision):in 3-cm-Solid Surface</li> <li>• Door (Vision): in tempered glass (thickness: 10 mm; width: 131 cm), in clear glass</li> </ul>
	<ul style="list-style-type: none"> <li>• Handle: height 98 cm, squared cross-section: 30x30 mm, in AISI 316L steel and wood matching the walls</li> </ul>	
Main structure	<p>Self-supporting aluminium structure for on-site installation (minimum thickness: 8.1 cm, U=0.49 W/m2K)</p> <p>Electrical and plumbing systems on top of the cabin – included in the given height</p> <p>Flooring not supplied; to be installed in accordance with the design</p>	

## Functions

ON / OFF	From the panel inside the cabin
Lighting	From the panel inside the cabin
Audio + Music	From the panel inside the cabin
Alarm	From the button inside the cabin

# Layout




## Layout A

plan

side view

front view

150 w x 150 d x 231 h cm



---




## Layout B

plan

side view

front view

250 w x 150 d x 231 h cm



---




## Layout C

plan

side view

front view

250 w x 150 d x 231 h cm







*Sweet  
Mediterranean Bath*

The exclusivity of a regenerating bath



Discover more about Sweet Mediterranean Bath

# Sweet Mediterranean Bath

DEEP HEAT, MAXIMUM WELL-BEING



Sweet Mediterranean Bath is characterised by **precious cladding** that highlights its contemporary style. Here, **ancient rituals** come back to life in name of modernity.

Its **modular system** and innovative technologies offer an alternative to the intense heat of the Finnish sauna and steam bath.

Thanks to its patented **radiant wall** system, it enhances **balanced warmth**, distributing it evenly throughout the cabin and providing a cosy, enveloping warmth.

## *Experiencing Wellness in a special environment*

A modular product that represents the evolution of ancient Roman Baths. Thanks to cutting-edge technology and advanced performance, you can enjoy a feeling of total immersion in a heat bath enhanced by coloured lighting.



### BENEFITS

A patented system allows heat to radiate from the walls, bringing the room to a temperature of 45–50 °C and a humidity level of 55–65%. This particular heat radiation method promotes gradual and even sweating without straining the body.

### FRAGRANCES

A special ceiling diffuser releases a pleasant aroma onto the hot stones of the stove, accompanied by an energetic red light. The result is a captivating mist that creates a warm cloud of steam, filling the room with a delicate lavender scent.



### COLOURS

The six shades of coloured lights, whether set or alternating, reflect off the walls creating exciting colour hues that add new depths.




### MUSIC KIT


A music kit is available featuring the finest spa symphonies, hand-selected by us at Starpool. To complete the experience, the MP3 audio player with USB technology allows you to listen to your favourite music. Bluetooth is available as an extra.



1- The stove emits a gentle, even heat.



2- Stainless steel door handle.



3- Wall-mounted hand shower and alarm button.





4-Sweet Mediterranean Bath with black back-painted glass walls and a bench in black Solid Surface.

## *Functional design*

The design by Starpool strikes the **right balance between beauty and practicality**. As a result, the space stands out not only for its aesthetic appeal but also for its ability **to meet specific spatial and sustainability requirements**.

### **1. DOOR**

Comfort, functionality and accessibility. Thanks to its door, increased in width to 87 cm, Sweet Mediterranean Pro is the first professional, barrier-free product.

### **2. ZERO GROUTING**

With a grout surface of less than 1% of the glass or marble coating, Sweet Mediterranean Bath is the product that offers the best guarantee for hygiene.

### **3. FLOATING BENCH**

The floating bench, detached from the wall, means easy cleaning and no water build-up. The Solid Surface of the seat is anti-static and anti-bacterial.

### **4. MODULARITY**

Sweet Mediterranean Bath is a finished product that is already internally clad, featuring self-supporting, modular walls packed with advanced technology. The self-supporting design means there is no need for masonry work, whereas the modularity allows for quick and safe installation. The product can be disassembled and reassembled elsewhere at any time, ensuring a long-term investment.

### **5. PATENTED TECHNOLOGIES**

The exclusive patented system with radiating walls provides constant heat, which is further enhanced by the Mediterraneo technique by Starpool. The ceiling diffuser releases a spray of lavender-scented water onto the hot stones of the stove, ensuring a slight increase in humidity and creating an aromatic and visual experience.

### **6. ALARM BUTTON**

The alarm system communicates remotely, allowing for a rapid response in the event of an emergency.

### **7. WALL-MOUNTED HAND SHOWER**

The larger the Sweet Mediterranean Bath, the more hand showers it features. The hand shower is ideal for cooling the body during a heat bath and facilitating cleaning.

---

### **BE GREEN**

Sweet Mediterranean Bath comes fitted factory-standard with the GREEN PACK software **to reduce energy consumption**. It **regulates power output** once the set temperature is reached and automatically closes the door. Furthermore, **smart sensors** interrupt steam or heat production in the event of prolonged door opening, while simultaneously sending an alert signal to the product's control unit.

SWEET MEDITERRANEAN BATH



# *Outfitting*



SWEET STEAM ROOM PERSONAL PLUS

WALL (CHOOSE FROM):




**Crystal Black**  
Black back-painted  
glass



**Crystal White**  
White back-painted  
glass




**Crystal Moka**  
Moka back-painted  
glass



**Crystal Grey Basalt**  
Grey basalt  
back-painted glass




**Crystal Greige**  
Greige back-painted  
glass



**Crystal Grey Stone**  
Grey stone back-  
painted glass




**Luxury Eramosa**  
Eramosa marble



**Luxury Emperador  
Dark**  
Emperador Dark  
marble



**Luxury Eastern Grey**  
Eastern Grey marble



**Luxury Laurent Gold**  
Laurent Gold marble



**Luxury Velvet**  
Velvet marble




**Luxury Calacatta**  
Calacatta marble

---

BENCH (CHOOSE FROM):








**Solid Surface**  
Black



**Solid Surface**  
White

# Technical data

	SWEET MEDITERRANEAN BATH	SWEET MEDITERRANEAN BATH VISION
External dimensions with remote technical room (cm)	195 w x 195 d x 243 h  x4 - 285 w x 195 d x 243 h  x6 285 w x 285 d x 243 h  x8 - 375 w x 285 d x 243 h  x10 375 w x 375 d x 243 h  x12	
Minimum dimensions for installation (cm)	205 w x 200 d x 260 h - 295 w x 200 d x 260 h 295 w x 290 d x 260 h - 385 w x 290 d x 260 h 385 w x 380 d x 260 h	
Voltage	400 Vac 3P+N+PE	
Max consumption (kW)	10 – 13,5	
Technology	Mediterranean Bath	
Temperature	45 - 50 °C	
Relative humidity	55 - 65%	
Heating	Heat radiation from wall and heat convection from electric stove	
Lighting	RGB LED light bars installed on the ceiling and behind the benches	
Music kit	Integrated music kit with preloaded spa music selection by Starpool MP3: 24 V DC power supply, 8 Ohm impedance, 20 W + 20 W output power across two channels, supported file formats: .mp3, .wma, USB 2.0 Loudspeaker: 30 W power, 4 Ohm impedance	
Frame, door and handle	<ul style="list-style-type: none"> <li>· Frame: 3-cm Solid Surface front frame for the Vision model / AISI 316L stainless steel door frame for the non-Vision model</li> <li>· Door (tempered glass; thickness: 10 mm; width: 87 cm): in clear glass</li> <li>· Handle (height: 98 cm; squared cross-section: 30x30 mm); AISI 316L steel and wood</li> </ul> The maximum width for the Vision front wall is 285 cm	
Main structure	Self-supporting aluminium structure for on-site installation (minimum thickness: 8.1 cm, U=0.49 W/m2K) Electrical and plumbing systems on top of the cabin – included in the given height Flooring not supplied; to be installed in accordance with the design	

## Functions

ON / OFF	From the technical compartment
Radiant wall heating	From the technical compartment
Lighting	From the technical compartment
Audio + Music	From the technical compartment
Alarm	From the button inside the Mediterranean Bath
Wall-mounted hand shower (cold water only)	Fitted inside the cabin

SWEET MEDITERRANEAN BATH



# Layout




## Layout A

plan




side view

front view




285 w x 195 d x 243 h cm






285 w x 285 d x 243 h cm



375 w x 285 d x 243 cm



375 w x 375 d x 243 h cm



SWEET MEDITERRANEAN BATH

---




Layout A1

plan

side view

front view

375 w x 285 d x 243 h cm



SWEET MEDITERRANEAN BATH




Layout B

plan




side view

front view




195 w x 195 d x 243 h cm



285 w x 195 d x 243 h cm



375 w x 285 d x 243 h cm



SWEET MEDITERRANEAN BATH




Layout B1

plan




side view

front view

285 w x 195 d x 243 h cm



375 w x 285 d x 243 h cm



SWEET MEDITERRANEAN BATH




Layout C

plan




side view

front view




195 w x 195 d x 243 h cm



285 w x 195 d x 243 h cm



375 w x 285 d x 243 h cm



SWEET MEDITERRANEAN BATH




Layout C1

plan




side view

front view

285 w x 195 d x 243 h cm



375 w x 285 d x 243 h cm



A modern interior space featuring a white lounge chair with a wooden frame, a wooden side table with a book and a small plant, and a blue-lit shower area. The wall is a textured, light brown color. A black cord with a small light fixture hangs from the ceiling. The floor is dark blue.

# *Sweet Ice Room*

The delightful thrill of well-being





Discover more about Sweet Ice Room

# Sweet Ice Room

## A BURST OF ENERGY

Sweet Ice Room interprets the **regenerating strength of intense cold** in an environment characterised by an unmistakable style, which is the perfect union of design and technological innovation.

Inside, it features a **basin filled with** finely crushed **ice**, produced by the ceiling-mounted fall, which creates the ideal cooling effect following exposure to intense heat.

A burst of energy that helps to restore the body's temperature and maximise the regenerating effect of the Wellness experience.

## *Experiencing Wellness in a special environment*

A combination of features makes Sweet Ice Room a place of regeneration, capable of restoring energy and vitality through the contact between ice and the body.



### BENEFITS

The Cool System evenly distributes cold air throughout the room, maintaining a temperature ranging between 5 °C and 15 °C, ideal for restoring the body to an optimal thermal state.

### ICE FALL


A basin in white Solid Surface with a satin steel base contains finely crushed ice, which is used to rub legs and arms, starting from the lower limbs and working upwards across the whole body.

## SWEET ICE ROOM



### LIGHTING

A blue LED light bar illuminates the cabin, creating shimmering reflections on the walls. The blue LED lights on the basin illuminate the ice from below, giving it distinctive iridescent hues.




### EVAPORATOR

The ceiling evaporator generates and circulates cool air throughout the cabin, recreating an extreme yet controlled environment. The internal and external units work together to deliver a steady stream of cool air, ensuring a unique sensory experience.



1- Headrest on a floating bench in white Solid Surface.



2- Wall-mounted hand shower and alarm button.



3- Basin in black Solid Surface.





4-Sweet Ice Room with white back-painted glass walls and a bench in white Solid Surface.

## *Functional design*

The design by Starpool strikes the **right balance between beauty and practicality**. As a result, the space stands out not only for its aesthetic appeal but also for its ability **to meet specific spatial and sustainability requirements**.

### **1. DOOR**

Comfort, functionality and accessibility thanks to the door, increased in width to 87 cm and fitted with a low handle.

### **2. ZERO GROUTING**

With a grout surface of less than 1% of the marble or back-painted glass, Sweet Ice Room is the product that offers the best guarantee for hygiene.

### **3. MODULARITY**

The cabin consists of self-supporting modular walls, eliminating the need for any masonry work. It is a finished product with interior cladding included.

### **4. ICE BASIN**

The finely crushed ice is contained in a basin in Solid Surface and satin steel, promoting body cooling.

### **5 . SAFETY AND CONTROL**

The alarm system communicates remotely, allowing for a rapid response.

### **6. WALL-MOUNTED HAND SHOWER**

The larger the Sweet Ice Room, the more hand showers it features. The hand shower is ideal for extra-cooling the body and facilitating cleaning.

### **7. BENCH**

The floating bench, detached from the wall, means easy cleaning. The Solid Surface of the seat is anti-static and anti-bacterial.



### **COOL SYSTEM TECHNOLOGY**

Sweet Ice Room comes fitted factory-made with Cool System, developed in collaboration with refrigeration specialists, which maintains the temperature within a range of 5 °C to 15 °C.

### **FUNCTIONALITY**

Installation is quick and safe, and the product can be disassembled and reassembled elsewhere at any time.

### **BE GREEN**


Sweet Ice Room comes fitted factory-standard with the GREEN PACK software **to reduce energy consumption**. It **regulates power output** once the set temperature is reached and **automatically closes the door**. Furthermore, **smart sensors** the cooling system in the event of prolonged door opening, while simultaneously sending an alert signal to the product's control unit.

SWEET ICE ROOM



# Outfitting


WALL (CHOOSE FROM):




**Crystal Black**  
Black back-painted  
glass




**Crystal White**  
White back-painted  
glass



**Crystal Moka**  
Moka back-painted  
glass




**Crystal Grey Basalt**  
Grey basalt  
back-painted glass



**Luxury Emperador  
Dark**  
Emperador Dark marble



**Luxury Eastern Grey**  
Eastern Grey marble



**Luxury Laurent Gold**  
Laurent Gold marble




**Luxury Velvet**  
Velvet marble

---

BENCH (CHOOSE FROM):



**Solid Surface**  
Black




**Solid Surface**  
White


SWEET ICE ROOM



**Crystal Greige**  
Greige back-painted  
glass



**Crystal Grey Stone**  
Grey stone  
back-painted glass



**Crystal Black Satin**  
Black satin glass





**Luxury Eramosa**  
Eramosa marble



**Luxury Calacatta**  
Calacatta marble

# Technical data

	SWEET ICE ROOM	SWEET ICE ROOM VISION
External dimensions with remote technical room (cm)	285 w x 195 d x 296 h  x3 285 w x 285 d x 306 h  x6	
Minimum dimensions for installation (cm)	305 w x 205 d x 315h 305 w x 295 d x 315 h	
Voltage	400 Vac 3P+N+PE	
Max consumption (kW)	4,8	
Technology	Ice cabin	
Temperature	5 - 15 °C	
Relative humidity	25%	
Cooling system	Chiller and ice fall	
Lighting	Blue LED light installed on the ceiling, 2 blue LED spotlights above the ice basin	
Music kit	Integrated music kit with preloaded spa music selection by Starpool MP3: 24 V DC power supply, 8 Ohm impedance, 20 W + 20 W output power across two channels, supported file formats: .mp3, .wma, USB 2.0 Loudspeaker: 30 W power, 4 Ohm impedance	
Frame, door and handle	<ul style="list-style-type: none"> <li>• Door frame in AISI 316L steel</li> <li>• Door in tempered glass, thickness: 10 mm; width: 87cm</li> <li>• Handle: AISI 316L steel / steel</li> </ul> Height: 98 cm; squared cross-section: 30x30 mm	<ul style="list-style-type: none"> <li>• Front wall in glass with 3-cm-frame in Solid Surface</li> <li>• Door in tempered glass, thickness: 10 mm; width: 87cm</li> <li>• Handle: AISI 316L steel / steel</li> </ul> Height: 98 cm; squared cross-section: 30x30 mm
Main structure	Self-supporting aluminium structure for on-site installation (minimum thickness: 8.1 cm, U=0.49 W/m2K) Electrical and plumbing systems on top of the cabin – included in the given height Flooring not supplied; to be installed in accordance with the design	

## Functions

ON / OFF	From the technical compartment
Chiller and ice fall	From the technical compartment
Lighting	From the technical compartment
Audio + Music	From the technical compartment
Alarm	From the button inside the Ice Room
Chiller and ice fall	Fitted inside the cabin

# Layout




## Layout A

plan




side view

front view

285 w x 195 d x 296 h cm



285 w x 285 d x 306 h cm







# *Sweet Shower*

A multi-sensory journey into well-being



Discover more about Sweet Shower

SWEET SHOWER

# Sweet Shower

THE REGENERATING POWER OF WATER

Sweet Shower **transforms the shower into a welcoming space**, creating an atmosphere that is both relaxing and regenerating.

A **minimalist space** where colours, jets of varying intensity, delicate fragrances and sounds combine with the rain-like effect of the large showerhead, creating a generous cascade of water.

The daily shower thus becomes a true **sensory ritual**.

## *Experiencing Wellness in a special environment*

The shower becomes a multi-sensory ritual, where lights, fragrances, sounds and water jets combine to immerse the body and mind in a deeply regenerating atmosphere.



### BENEFITS

Sweet Shower helps restore the body's physical balance through various types of cold reactions. This is achieved by adjusting the intensity of the jet and the water temperature to suit the body's specific needs.

### SHOWERHEAD

The showerhead from Sweet Shower combines style and innovation to deliver a truly relaxing experience. A gentle, even spray provides a soothing water massage that relaxes and regenerates, offering moments of pure comfort.

## SWEET SHOWER



### WATER FITTINGS


All-in-one solution featuring a water temperature control mixer for hot and cold water, and a flow diverter to control the hand shower and showerhead. All water fittings are characterised by their exclusive design and ergonomic shape.

### COLOURS AND MUSIC


Coloured lights, whether set or alternating, create a multi-sensory shower experience. A music kit is available featuring the finest spa symphonies selected by us at Starpool. An MP3 audio player with USB and Bluetooth technology is optionally available as extra.



1- Ceiling showerhead with a wide, even spray.



2- Detail of the Sweet Shower fittings designed by Cristiano Mino.



3- Thanks to the intuitive touch-screen panel, all shower functions can be easily controlled.





4-Sweet Shower with Luxury Calacatta cladding and ceiling showerhead.

## *Functional design*

The design by Starpool strikes the right balance between beauty and practicality. As a result, the space stands out not only for its aesthetic appeal but also for its ability to meet specific spatial and sustainability requirements.

### **1. DOOR**

Comfort, functionality and accessibility thanks to the door, increased in width to 87 cm.

### **2. LIGHTING**

Multicoloured LED light bars, integrated into the ceiling, cast a soft glow that enhances the atmosphere with dynamic, customisable effects. The changing colours create visual effects that highlight the shower's design and intensify the sensory experience, blending harmoniously with every need and setting.

### **3. ZERO GROUTING**

With a grout surface of less than 1% of the porcelain gres or satin glass coating, Sweet Shower is the product that offers the best guarantee for hygiene.

### **4. SHOWER / HAND SHOWER**

All-in-one solution featuring a temperature control mixer and a flow diverter to control the wall-mounted hand shower or the showerhead.

### **5. FRAME**

The front wall is set within an elegant 3-cm-thick frame.



### **FUNCTIONALITY**


Installation is quick and safe, and the product can be disassembled and reassembled elsewhere at any time.

SWEET SHOWER



# Outfitting


WALL (CHOOSE FROM):




**Crystal Black**  
Black back-painted  
glass



**Crystal White**  
White back-painted  
glass



**Crystal Moka**  
Moka back-painted  
glass



**Crystal Grey Basalt**  
Grey basalt  
back-painted glass



**Luxury Eastern Grey**  
Eastern Grey marble



**Luxury Laurent Gold**  
Laurent Gold marble



**Luxury Velvet**  
Velvet marble




**Luxury Calacatta**  
Calacatta marble

---

BENCH (CHOOSE FROM):



**Solid Surface**  
Black



**Solid Surface**  
White

SWEET SHOWER




**Crystal Greige**  
Greige back-painted  
glass



**Crystal Grey Stone**  
Grey stone back-painted  
glass



**Luxury Eramosa**  
Eramosa marble



**Luxury Emperador  
Dark**  
Emperador Dark marble

# Technical data

External dimensions with remote sliding technical compartment (cm)	130 w x 105 d x 233 h 130 w x 195 d x 233 h 220 w x 105 d x 233 h
Minimum dimensions for installation with integrated sliding technical room (cm)	140 w x 110 d x 240 h 140 w x 200 d x 240 h 230 w x 110 d x 240 h
External dimensions with remote technical room (cm)	105 w x 105 d x 233 h 105 w x 105 d x 233 h 195 w x 105 d x 233 h
Minimum overall dimensions for installation with remote technical room (cm)	115 w x 110 d x 240 h 115 x 200 d x 240 h 205 w x 110 d x 240 h
Voltage	230 Vac 3P+N+PE
Max consumption (W)	200
Technology	Shower
Lighting	RGB LED light bars installed on the ceiling
Frame, door and handle	<ul style="list-style-type: none"> <li>• Frame: Front frame in 3-cm-Solid Surface</li> <li>• Door (tempered glass; thickness: 10 mm; width: 87 cm): in clear glass</li> <li>• Handle (height: 98 cm; squared cross-section: 30x30 mm): AISI 316L steel / steel</li> </ul>
Main structure	<p>Self-supporting aluminium structure for on-site installation (minimum thickness: 8.1 cm, U=0.49 W/m<sup>2</sup>K)</p> <p>Electrical and plumbing systems on top of the cabin – included in the given height</p> <p>Flooring not supplied; to be installed in accordance with the design</p>

## Functions

ON / OFF	From the technical compartment / sliding unit
Lighting	From the technical compartment / sliding unit
Colours	From the technical compartment / sliding unit
Hot and cold water supply for the wall-mounted hand shower	Fitted inside the cabin
Mixer	Fitted inside the cabin
Showerhead	Fitted inside the cabin

# Layout

## Layout A




plan

side view

front view

105 w x 105 d x 233 h cm

plan



---




## Layout A1

plan

side view

front view

105 w x 195 d x 233 h cm



SWEET SHOWER




Layout B

plan

side view

front view

195 w x 105 d x 233 h cm



---




Layout C

plan

side view

front view

195 w x 105 d x 233 h cm



SWEET SHOWER







*The  
sustainable  
spa*

# Smart Technology

**Sustainable products and high-performance technological systems** help define the quality standards of every business.

**Control Unit and Smart Technology are the software solutions we offer to reduce our products' energy consumption** while improving and automating their functionality. Technologies designed to serve our customers, enhancing connectivity to an increasingly advanced yet user-friendly network.



**The management** of each of our spas, from room temperature to starting and stop times, and remote **predictive maintenance** ensure **constant consumption monitoring and running cost optimisation**.

To make wellness increasingly accessible and smart.




Find out more about our technological solutions and innovations

## THE SUSTAINABLE SPA



### GREEN PACK

It is a software that **reduces energy consumption** thanks to the **smart sensors** that interrupt steam or heat production in the event of prolonged door opening, while simultaneously sending an alert signal to the product's control unit. Furthermore, it **regulates power output** once the set temperature is reached and **automatically closes the door**.



### SIM 4.0

This is a subscription-based software solution that enables **remote spa management**. With Sim 4.0, you can view **key equipment parameters** – such as energy consumption, usage and faults – via a dashboard. As an optional extra, our **Business Intelligence** feature provides quarterly reports on product performance to facilitate optimal spa management. On request, it is also possible to add a **remote support** service to reduce intervention times and costs.



### DEEP CLEAN

This software generates **programmable automatic cycles** of thermal shock to achieve a **disinfection level of over 95%**. This process involves forcibly raising the temperature inside the products, eliminating impurities and pathogens.



The Starpool products listed here comply with the relevant European standards. Starpool reserves the right to modify or update technical and dimensional information without prior notice. Should the purchaser intend to install Starpool products in non-EU countries where standards differ from European CE standards, the purchaser is obliged to notify Starpool of any additional requirements. All technical data provided here represents an estimate of consumption, based on the standard settings defined by Starpool.



**STARPOOL**

wellness concept

Via Stazione 25 · 38030 Ziano di Fiemme (TN) · Italy  
+39 0462 571 881 · [info@starpool.com](mailto:info@starpool.com)  
**[starpool.com](http://starpool.com)**